Oxford Dendrochronology Laboratory Report 2011/8

THE TREE-RING DATING OF NANT UCHAF, GROES, CONWY (NGR SH 989 639)



Summary

Four of the seven timbers sampled were dated. Cross-matching between the relatively short ring width series was variable, with three series being included in the site master chronology, and a further two series being dated. These two exhibited unusual growth patterns. The timbers were felled over a period from summer 1487 to winter 1488/89, making construction most likely in **1489**, or within a year or two after this date.

Authors: Dr D. Miles FSA and Dr M. C. Bridge FSA Oxford Dendrochronology Laboratory Mill Farm Mapledurham Oxfordshire RG4 7TX

February 2011



The Tree-Ring Dating of Nant Uchaf, Groes, Denbighshire (NGR SH 989 639)

BACKGROUND TO DENDROCHRONOLOGY

The basis of dendrochronological dating is that trees of the same species, growing at the same time, in similar habitats, produce similar ring-width patterns. These patterns of varying ring-widths are unique to the period of growth. Each tree naturally has its own pattern superimposed on the basic 'signal', resulting from genetic variations in the response to external stimuli, the changing competitive regime between trees, damage, disease, management etc.

In much of Britain the major influence on the growth of a species like oak is, however, the weather conditions experienced from season to season. By taking several contemporaneous samples from a building or other timber structure, it is often possible to cross-match the ring-width patterns, and by averaging the values for the sequences, maximise the common signal between trees. The resulting 'site chronology' may then be compared with existing 'master' or 'reference' chronologies.

This process can be done by a trained dendrochronologist using plots of the ring-widths and comparing them visually, which also serves as a check on measuring procedures. It is essentially a statistical process, and therefore requires sufficiently long sequences for one to be confident in the results. There is no defined minimum length of a tree-ring series that can be confidently cross-matched, but as a working hypothesis most dendrochronologists use series longer than at least fifty years.

The dendrochronologist also uses objective statistical comparison techniques, these having the same constraints. The statistical comparison is based on programs by Baillie & Pilcher (1973, 1984) and uses the Student's *t*-test. The *t*-test compares the actual difference between two means in relation to the variation in the data, and is an established statistical technique for looking at the significance of matching between two datasets that has been adopted by dendrochronologists. The values of 't' which give an acceptable match have been the subject of some debate; originally values above 3.5 being regarded as acceptable (given at least 100 years of overlapping rings) but now 4.0 is often taken as the base value. It is possible for a random set of numbers to give an apparently acceptable statistical match against a single reference curve – although the visual analysis of plots of the two series usually shows the trained eye the reality of this match. When a series of ring-widths gives strong statistical matches in the same position against a number of independent chronologies the series becomes dated with an extremely high level of confidence.

One can develop long reference chronologies by cross-matching the innermost rings of modern timbers with the outermost rings of older timbers successively back in time, adding data from numerous sites. Data now exist covering many thousands of years and it is, in theory, possible to match a sequence of unknown date to this reference material.

It follows from what has been stated above that the chances of matching a single sequence are not as great as for matching a tree-ring series derived from many individuals, since the process of aggregating



individual series will remove variation unique to an individual tree, and reinforce the common signal resulting from widespread influences such as the weather. However, a single sequence can be successfully dated, particularly if it has a long ring sequence.

Growth characteristics vary over space and time, trees in south-eastern England generally growing comparatively quickly and with less year-to-year variation than in many other regions (Bridge, 1988). This means that even comparatively large timbers in this region often exhibit few annual rings and are less useful for dating by this technique.

When interpreting the information derived from the dating exercise it is important to take into account such factors as the presence or absence of sapwood on the sample(s), which indicates the outer margins of the tree. Where no sapwood is present it may not be possible to determine how much wood has been removed, and one can therefore only give a date after which the original tree must have been felled. Where the bark is still present on the timber, the year, and even the time of year of felling can be determined. In the case of incomplete sapwood, one can estimate the number of rings likely to have been on the timber by relating it to populations of living and historical timbers to give a statistically valid range of years within which the tree was felled. For this region the estimate used is that 95% of oaks will have a sapwood ring number in the range 11 - 41 (Miles 1997a).



Section of tree with conversion methods showing three types of sapwood retention resulting in A *terminus post quem*, **B** a felling date range, and **C** a precise felling date. Enlarged area **D** shows the outermost rings of the sapwood with growing seasons (Miles 1997a, 42)

NANT UCHAF, GROES

A large lobby-entry farmhouse of late-medieval origin with a characteristic downslope siting. The latemedieval house was cruck-framed with full crucks defining four bays. The surviving crucks show that Natnt-uchaf was a hall of 'gentry type with a two-bayed hall with an open archbraced (but not cusped)



central truss. The two-bayed hall was set lower and upper bays with a post-and-panel partition between hall and inner-room.

In a second phase a back-to-back fireplace was inserted in the passage end of the hall creating heated parlour and hall with a lobby entrance. In a most interesting development, an open-panelled partition (of the type associated with the feeding passages of longhouses) was inserted into the upper end of the hall creating a spence or pantry within the hall. (RFS/RCAHMW/APRIL 2011)

SAMPLING

Sampling took place in January 2011. All the samples were of oak (*Quercus* spp.). Core samples were extracted using a 15mm diameter borer attached to an electric drill. They were numbered using the prefix **deni**. The samples were removed for further preparation and analysis. Cores were mounted on wooden laths and then these were polished using progressively finer grits down to 1000 to allow the measurement of ring-widths to the nearest 0.01 mm. The samples were measured under a binocular microscope on a purpose-built moving stage with a linear transducer, attached to a desktop computer. The ring-width series were measured and compared on an IBM compatible computer for statistical cross-matching using a variant of the Belfast CROS program (Baillie and Pilcher 1973). A version of this and other programmes were written in BASIC by D Haddon-Reece, and re-written in Microsoft Visual Basic by M R Allwright and P A Parker and other analyses were carried out using DENDRO for WINDOWS, written by Ian Tyers (Tyers 2004).

RESULTS AND DISCUSSION

Seven timbers were sampled from this house. Two timbers, the south cruck to Truss 1 and Truss 3 had to be sampled twice due to the fact that it was not possible to get a straight line of access to sample. The two resulting pairs of samples (deni1a and deni1b) and (deni3a and deni3b) did not have sufficient number of rings overlap to allow the sequences to be conclusively cross-matched. Therefore the individual sequences were used in the final analysis.

Three samples were found to match together (Table 2): the north cruck to Truss 3 (**deni3**), the south cruck to the same truss (**deni4a**), and the yoke to Truss 4 (**deni7**). These were combined to form the 114-ring site master **DENBY8**. This was compared with the reference chronologies and dated, spanning the years 1375-1488 (Table 3b).

The second sample from the south cruck of truss 3 (deni4b) did match well with the north blade from the same truss (deni3) with a *t*-value of 7.54 and with the site master with a *t*-value of 5.63, dating to 1488. However, in comparing this sample individually with the reference chronologies there was no corresponding matches at that date. Clearly this sample was exhibiting some extremely local growth patterns which were not reflected in the other samples from the site or the reference chronologies. Consequently this sample was considered to be dated, but not included in the site master. The sample from the north lower purlin in Bay 2 (deni2) did not match any other of the other samples from the site, but did match extremely well individually with the reference chronologies (Table 3a). Thus this sample dated to 1486 but again was not included in the site master.

All four of the dated timbers retained bark edge, and were therefore able to give precise felling dates. These ranged from the summer of 1487 for sample **deni2**, spring 1488 for sample **deni3**, and winter 1488/9



for samples deni4b and deni7. Given this clustering of felling dates, Nant Uchaf was most likely constructed during 1489.



number boundary boundary complement width devn sens deni1a South cruck T2 undated - 3.06 1.60 0.27 unknown deni1b ditto undated - 13C 2.7 3.62 1.19 0.26 unknown deni2 North cruck, T3 1413-1487 1469 17/5C 58 1.67 0.68 0.24 Summer 1487 deni2 North cruck, T3 1413-1487 1476 11/4C 75 2.71 1.17 0.27 Spring 1488 denida South cruck, T3 1388-1444 - - 57 2.75 0.24 Summer 1487 denida Minto 1413-1487 1469 17/4C 75 2.71 1.17 0.27 Spring 1488 denida Minto 1432-1488 1469 19C 46 2.75 0.24 Summer 1487 denida Minto 1469 19C 46 2.75 0.29 <th>Sample</th> <th>Timber and position</th> <th>Date of series</th> <th>H/S</th> <th>Sapwood</th> <th>No of rings</th> <th>Mean</th> <th>Std</th> <th>Mean</th> <th>Felling date range</th>	Sample	Timber and position	Date of series	H/S	Sapwood	No of rings	Mean	Std	Mean	Felling date range
deni1aSouth cruck T2undated361.600.27unknowndeni1bdittoundated-13C273.621.190.26unknowndeni2North lower purlin, Bay 2 (reset)1413-14871476 $17\%C$ 581.670.680.24Summer 1487deni3North cruck, T31413-14871476 $11\%C$ 752.711.170.27Spring 1488* deni3North cruck, T31388-1444572.751.220.24Winter 1488/89* deni4aSouth cruck, T31388-1444572.751.220.27Spring 1488* deni4aNorth V-strut T3undated572.751.220.27Spring 1488* deni4bdintodinto1432-1488146919C462.751.220.27Spring 1488* deni5North V-strut T3undated572.751.220.27Spring 1488deni6South cruck, T4undated570.950.280.24Winter 1488/89deni5North V-strut T3undated-14C512.790.950.23unknowndeni6South cruck, T4undated-14C543.101.620.23unknown* deni7Yoke T41375-1488146424C1142.0	number			boundary date	complement		width mm	devn mm	sens	
deni1bdintodintoundated-13C273.621.190.26unknowndeni2North lower purlin, Bay 2 (reset)1429-1486146917/2C581.670.680.24Summer 1487* deni3North cruck, T31413-1487147611/4C752.711.170.27Spring 1488* deni3North cruck, T31388-1444572.751.220.27Spring 1488* deni4aSouth cruck, T31388-1444572.751.220.27Ninter 1488/89* deni4bdinto1410146919C462.570.950.24Winter 1488/89deni4bSouth cruck, T4undated-14C512.190.980.21unknowndeni5North V-strut T3undated-14C543.101.620.23unknowndeni5Yoke T41375-148814642.4C1142.060.850.23Winter 1488/89* eni7Yoke T41375-148814642.4C1442.060.850.23Winter 1488/89* eni7Yoke T41375-148814642.4C1142.060.850.23Winter 1488/89* eni7Yoke T41375-148814642.4C1142.060.850.23Winter 1488/89* eni7Yoke T41375-148814642.4C1142.050.890.	deni1a	South cruck T2	undated		1	36	3.06	1.60	0.27	unknown
deni2North lower purlin, Bay 2 (reset) $1429-1486$ 1469 $17/5C$ 58 1.67 0.68 0.24 Summer 1487* deni3North cruck, T3 $1413-1487$ 1476 $11/4C$ 75 2.71 1.17 0.27 Spring 1488* deni4aSouth cruck, T3 $1388-1444$ $ 57$ 2.75 1.22 0.27 Spring 1488deni4bdinto $1413-1488$ 1476 $11/4C$ 75 2.75 1.22 0.27 Spring 1488deni4bdinto 1476 -1469 $19C$ 46 2.57 0.95 0.24 Winter 1488/89deni4bdeni4bdinto $1432-1488$ 1469 $19C$ 46 2.57 0.95 0.24 Winter 1488/89deni5North V-strut T3undated $ 14C$ 51 2.19 0.98 0.21 unknowndeni6South cruck, T4undated $ 14C$ 54 3.10 1.62 0.23 unknown* deni7Yoke T4 $1375-1488$ 1464 $24C$ 114 2.06 0.85 0.25 Winter 1488/89* encluded in Site Master DENBY8 $1375-1488$ 1464 $24C$ 114 2.39 0.89 0.21 Winter 1488/89	deni1b	ditto	undated		13C	27	3.62	1.19	0.26	unknown
* deni3North cruck, T3 $1413-1487$ 1476 $11/4C$ 75 2.71 1.17 0.27 Spring 1488* deni4aSouth cruck, T3 $1388-1444$ $ 57$ 2.75 1.22 0.27 Winter 1488/89deni4bdinto $1412-1488$ 1469 $19C$ 46 2.57 0.95 0.24 Winter 1488/89deni5North V-strut T3undated $ 14C$ 51 2.19 0.98 0.21 unknowndeni6South cruck, T4undated $ 14C$ 54 3.10 1.62 0.23 unknown* deni7Yoke T4 $1375-1488$ 1464 $24C$ 114 2.06 0.85 0.23 Winter 1488/89* = included in Site Master DENBY8 $1375-1488$ 1464 $24C$ 114 2.06 0.85 0.25 Winter 1488/89	deni2	North lower purlin, Bay 2 (reset)	1429-1486	1469	17 ¹ / ₂ C	58	1.67	0.68	0.24	Summer 1487
* denidaSouth cruck, T31388-1444 57 2.75 1.22 0.27 Winter 1488/89denidbditto1432-14881469 $19C$ 46 2.57 0.95 0.24 Winter 1488/89denifNorth V-strut T3undated- $147C$ 51 2.19 0.98 0.21 unknowndenifSouth cruck, T4undated- $14C$ 54 3.10 1.62 0.23 unknown* denifYoke T4 $1375-1488$ 1464 $24C$ 114 2.06 0.85 0.25 Winter 1488/89* = included in Site Master DENBY8 $1375-1488$ 1464 $24C$ 114 2.06 0.85 0.25 Winter 1488/89	* deni3	North cruck, T3	1413-1487	1476	11 ¹ /4C	75	2.71	1.17	0.27	Spring 1488
deni4b $ditto$ 1432 -1488 1469 $19C$ 46 2.57 0.95 0.24 Winter 1488/89 deni5 North V-strut T3 undated - $14C$ 51 2.19 0.98 0.21 unknown deni6 South cruck, T4 undated - $14C$ 54 3.10 1.62 0.23 unknown * deni7 Yoke T4 $1375-1488$ 1464 $24C$ 114 2.06 0.85 0.25 Winter 1488/89 * encluded in Site Master DENBY8 $1375-1488$ 1464 $24C$ 114 2.06 0.85 0.25 Winter 1488/89	* deni4a	South cruck, T3	1388-1444		ı	57	2.75	1.22	0.27	
denis North V-strut T3 undated - 14C 51 2.19 0.98 0.21 unknown denic South cruck, T4 undated - 14C 54 3.10 1.62 0.23 unknown * denit Yoke T4 1375-1488 1464 24C 114 2.06 0.85 0.25 Winter 1488/89 * = included in Site Master DENBY8 1375-1488 1464 24C 114 2.06 0.85 0.25 Winter 1488/89	deni4b	ditto	1432-1488	1469	19C	46	2.57	0.95	0.24	Winter 1488/89
denic South cruck, T4 undated - 14C 54 3.10 1.62 0.23 unknown * deni7 Yoke T4 1375-1488 1464 24C 114 2.06 0.85 0.25 Winter 1488/89 * = included in Site Master DENBY8 1375-1488 1464 24C 114 2.39 0.89 0.21	deni5	North V-strut T3	undated	1	14C	51	2.19	0.98	0.21	unknown
* deni7 Yoke T4 1375-1488 1464 24C 114 2.06 0.85 0.25 Winter 1488/89 * = included in Site Master DENBY8 1375-1488 13464 24C 114 2.39 0.89 0.21	deni6	South cruck, T4	undated	ı	14C	54	3.10	1.62	0.23	umouyun
* = included in Site Master DENBY8 1375–1488 1114 2.39 0.89 0.21	* deni7	Yoke T4	1375-1488	1464	24C	114	2.06	0.85	0.25	Winter 1488/89
	* = included	in Site Master DENBY8	1375-1488			114	2.39	0.89	0.21	

Table 1: Details of samples taken from Nant Uchaf, Groes.

Key: H/S bdry = heartwood/sapwood boundary - last heartwood ring date; C = complete sapwood, winter felled; $V_4C = complete$ sapwood, felled the following spring; $V_2C = complete$ sapwood, felled the following spring: $V_2C = complete$ sapwood, felled the following spring spring: $V_2C = complete sapwood$ sapwood, felled the following spring spring spring: $V_2C = complete sapwood$ sapwood, felled the following spring sp

Table 2: Cross-matching between dated elements at the site

Sample deni4a deni4b deni7 deni3 2.7 7.5 4.7 deni4a * 5.7 deni4a * 5.7			t-values	
deni3 2.7 7.5 4.7 deni4a * 5.7 deni4b 2.3	Sample	deni4a	deni4b	deni7
deni4a * 5.7 deni4b 2.3	deni3	2.7	7.5	4.7
deni4b 2.3 2.3	deni4a		*	5.7
	deni4b			2.3



Country on notion.	Cheven Jorns names.	Chout with lighting unfound of	Eilo nama.	Cranning.	Outstan	+ value.
county or region.	Un onology nume.	אוטון אשטונכשנטו וכןפופורפי	Lue nume.	.Smumdc	(yrs):	l-vuue.
Rutland	Flore's, Oakham	(Arnold et al 2008)	OKMASQ02	1408–1591	58	6.5
Hampshire	St Michael's Cottage, Chilbolton	(Miles <i>et al</i> 2007)	CHLBLTN1	1421-1554	58	6.4
Shropshire	Shropshire Master Chronology	(Miles 1995)	SALOP95	881-1745	58	5.4
Shropshire	Abcott Manor, Clungunford	(Miles and Worthington 2002)	CGFA	1422–1545	58	5.3
Shropshire	Botwood Barn, Ditton Priors	(Miles <i>et al</i> 2004)	DITTON3	1350–1476	48	5.2
Wales	Rose and Crown, Gwydwn	(Miles and Worthington 2000)	GWYDWN	1411-1571	58	5.2
Oxfordshire	Harpsden Court, Harpsden	(Miles $et al 2009$)	HARPSDN1	1413–1571	58	5.1

Table 3a: Dating evidence for the site series deni2 AD 1429–1486 against dated reference chronologies, regional chronologies in bold

Table 3b: Dating evidence for the site master DENBY8 AD 1375–1488 against dated reference chronologies, regional chronologies in bold

County or region:	Chronology name:	Short publication reference:	File name:	Spanning:	Overlap (yrs):	t-value:
Wales	Hafod Llansilin Denby	(Miles et al 2003)	HAFOD	1337-1431	57	6.0
Devon	South Yarde	(Groves and Hillam 1993)	SYARDE	1309–1447	73	6.0
Wales	Old Beaupre Castle	(Miles et al 2010)	obc7	1374-1473	66	6.0
Wales	Parc Llanfrothen	(Miles <i>et al</i> 2006)	BDGLRT22	1386-1669	103	5.7
Buckinghamshire	Baylins Farm	(Miles and Worthington 2002)	BAYLINS1	1352-1446	72	5.7
Wales	Plas-Ucha Llangar	(Miles and Haddon-Reece 1996)	PLASUCHA	1315-1434	09	5.6
Northumberland	St Lawrence Church, Warkworth	(Arnold and Howard 2010)	WKWBSQ02	1324–1443	69	5.6
Devon	21 The Mint, Exeter	(Nayling 2001)	MINT_T4	1350-1429	55	5.5
Wales	Ty Mawr, Castell Caereinion	(Miles and Haddon-Reece 1996)	TYMAWR1	1346–1459	85	5.5
Wales	Plas Mawr House	(Miles 1997b)	PLASMAWR	1360-1578	114	5.5
Herefordshire	Pound Farm, Kington	(Nayling 2002)	POUNDT7	1316-1441	67	5.5
Somerset	16-18 High Street, Bruton	(Miles and Worthington 1997)	BRUTON1	1335–1429	55	5.4
Devon	Leigh Barton, Churchstow	(Groves 2006)	LBC-A	1345-1484	110	5.3
Wales	Welsh Master Chronology	(Miles 1997c)	WALES97	404-1981	114	5.2





Figure 1: Bar diagram showing the relative positions of overlap of the dated series, along with their felling dates. Hatched yellow sections represent sapwood rings



ACKNOWLEDGEMENTS

The dating was commissioned by Margaret Dunn of the North-West Wales Dendrochronology Project. We are grateful to the owners Mike and Colleen Jones for allowing access to their house and providing exceptional meals during assessment and sampling. Richard Suggett from the Welsh Royal Commission assisted in the interpretation on site and provided useful background material. Matt Hurford assisted on site during the sampling.

REFERENCES

Arnold, A., Howard, R., Hurford, M. and Tyers, C. (2008) *Flore's, Oakham, Rutland, Tree-ring analysis of the timbers*, **EH Research Dept Rep Series**, <u>94-2008</u>.

Arnold, A. and Howard, R. (2010) *Church of St Lawrence, Dial Place, Warkworth, Northumberland, Tree-ring analysis of timbers*, **EH Research Dept Rep Series**, <u>40-2010</u>.

Baillie, M.G.L. and Pilcher, J.R. (1973) *A simple cross-dating program for tree-ring research*. **Tree Ring Bulletin**, <u>33</u>, 7-14.

Bridge, M. C. (1988) The dendrochronological dating of buildings in southern England, Medieval Archaeology, <u>32</u>, 166-174.

English Heritage (1998) Guidelines on producing and interpreting dendrochronological dates, English Heritage, London.

Groves, C. and Hillam, J. (1993) Tree-ring analysis of oak timbers from South Yarde, Rose Ash, Devon, 1992, Anc Mon Lab Rep, <u>36/93</u>.

Groves, C. (2006) *Tree-Ring Analysis of timbers from Leigh Barton, Churchstow, Devon*, EH Research Dept Rep Series, <u>10/2006</u>.

Miles, D. H. (1995) Working compilation of 71 reference chronologies centred around Shropshire by various researchers, unpublished computer file SALOP95, Oxford Dendrochronology Laboratory.

Miles, D. (1997a) The interpretation, presentation, and use of tree-ring dates, Vernacular Architecture, 28, 40-56.

Miles, D. H. (1997b) Working compilation of chronologies from Plas Mawr, Conwy, unpublished computer file PLASMAWR, Oxford Dendrochronology Laboratory.

Miles, D. H. (1997c) Working compilation of 58 reference chronologies centred around Wales by various researchers, unpublished computer file WALES97, Oxford Dendrochronology Laboratory.

Miles, D. H. and Haddon-Reece, D. (1996) List 72 - Tree-ring dates, Vernacular Architecture, 27, 97-102.

Miles, D. H. and Worthington, M. J. (1997) Tree-ring dates, Vernacular Architecture, 28, 159-181.

Miles, D. H. and Worthington, M. J. (2000) Tree-ring dates, Vernacular Architecture, 31, 90-113.

Miles, D. H. and Worthington, M. J. (2002) Tree-ring dates, Vernacular Architecture, 33, 81-102.



Miles, D. H., Worthington, M. J. and Bridge, M. C. (2003) Tree-ring dates, Vernacular Architecture, 34, 109-113.

Miles, D. H., Worthington, M. J. and Bridge, M. C. (2004) Tree-ring dates, Vernacular Architecture, 35, 95-113.

Miles, D. H., Worthington, M. J. and Bridge, M. C. (2006) Tree-ring dates, Vernacular Architecture, 37, 118-132.

Miles, D. H., Worthington, M. J. and Bridge, M. C. (2007) Tree-ring dates, Vernacular Architecture, <u>38</u>, 120-139.

Miles, D. H., Worthington, M. J. and Bridge, M. C. (2009) Tree-ring dates, Vernacular Architecture, <u>40</u>, 122-128. Miles, D. H., Worthington, M. J., Bridge, M. C., Suggett, R. and Dunn, M. (2010) Tree-ring dates, Vernacular Architecture, <u>41</u>, 110-118.

Nayling, N. (2001) Tree-ring analysis of timbers from 21 The Mint, Exeter, Devon, Centre for Archaeology Report, 55/2001.

Nayling N. (2002) Tree-ring analysis of timbers from Pound Farm, Kington, Herefordshire, Centre for Archaeology Report, <u>28/2002</u>.

Tyers, I. (2004) Dendro for Windows Program Guide 3rd edn, ARCUS Report, 500b.

